

C L E A N   F I R E   S Y S T E M

XARALYN®

2019 / 2020



Decorative fireplaces







# Ambiance



MDF (RAL 9010)

H 1950 | W 1100 | D 350 mm



MDF (RAL 9010)

H 1950 | W 1100 | D 350 mm

## Choose your insert!



Bio ethanol burner XL (8014LS)



Opti-myst Cassette 600





# Cadiz



Natural stone F02  
Finish: Polished or unpolished  
  
H 950 | W 980 | D 375 mm



Natural stone F03  
Finish: Polished or unpolished  
  
H 950 | W 980 | D 375 mm



MDF (RAL 9001)  
  
H 950 | W 980 | D 375 mm



Natural stone F02  
Finish: Polished  
  
H 950 | W 980 | D 685 mm

## Choose your insert!



Built-in unit L



Built-in unit L with stone effect



Built-in unit L with medallion



Lucius LED fire



Trivero 70 LED fire



Built-in unit Opti-Myst Cassette 600



Opti-Myst Albany



# Kos





Natural stone F02  
Finish: Polished or unpolished

H 1080 | W 1190 | D 390 mm





Natural stone F03  
Finish: Polished or unpolished

H 1080 | W 1190 | D 390 mm





MDF (RAL 9001)

H 1080 | W 1190 | D 390 mm

# Kos Corner





Natural stone F02  
Finish: Polished or unpolished

H 1080 | W 1190 | D 788 mm

## Choose your insert!



Built-in unit L



Built-in unit L with stone effect



Built-in unit L with medallion



Lucius LED fire



Trivero 70 LED fire



Built-in unit Opti-Myst Cassette 600



Opti-Myst Albany



# Kreta & Kreta mini





Natural stone F02  
Finish: Polished or unpolished

Kreta: H 1100 | W 1200 | D 540 mm  
Kreta mini: H 990 | W 1050 | D 445 mm





Natural stone F03  
Finish: Polished or unpolished

Kreta: H 1100 | W 1200 | D 540 mm  
Kreta mini: H 990 | W 1050 | D 445 mm



## Choose your insert!



Built-in unit L



Built-in unit L with stone effect



Built-in unit L with medallion



Lucius LED fire



Trivero 70 LED fire



Built-in unit Opti-Myst Cassette 600



Opti-Myst Albany



# Louis





Natural stone + composite C03

H 1110 | W 1275 | D 485 mm







Natural stone + composite C02

H 1110 | W 1275 | D 485 mm


## Choose your insert!




Built-in unit L




Built-in unit L with stone effect




Built-in unit L with medallion




Trivero 70 LED fire



Built-in unit Opti-Myst Cassette 600



Opti-Myst Albany





# Marvik



Choose your insert!





# Santos





Natural stone F02  
Finish: Polished

H 1000 | W 1300 | D 470 mm

## Choose your insert!





Bio ethanol burner L (5820LB)

Trivero 90 LED fireplace

Opti-myst Cassette 600

# Todos





Natural stone F02  
Finish: Polished

H 1000 | W 780 | D 405 mm

## Choose your insert!



Bio ethanol burner S (4114L)

Opti-myst Cassette 400

# Milos








Natural stone F02  
Finish: Polished

H 970 | W 995 | D 340 mm

## Choose your insert!



Bio ethanol burner S (4114L)

Trivero 70 LED fire

Opti-myst Cassette 400

Our natural stone (fossil stone) fireplaces are delivered fully assembled. We use a wooden base on which we glue a thin layer of stone. This stone layer is then leveled.

This way of producing natural stone fireplaces has many advantages. We use less material and have a much lighter end product. The natural stone fireplaces are fully assembled in production and can therefore be moved just as easily as a large piece of furniture.

Every natural stone fireplace is unique. The surround is finished by hand to give a unique look to each fireplace and due to the character of the stone, no two fireplaces are identical.





# Nero



Natural stone F02  
Finish: Polished

H 1015 | W 1195 | D 360 mm



Natural stone F03  
Finish: Polished

H 1015 | W 1195 | D 360 mm



## Choose your insert!



Built-in unit L



Built-in unit L with stone effect



Built-in unit L with medallion



Lucius LED fire



Trivero 70 LED fire



Built-in unit Opti-Myst Cassette 600



Opti-Myst Albany



# Nuoro



Concrete look

H 1195 | W 760 | D 350 mm

Choose your insert!



Bio ethanol burner S (4114LB)



Opti-myst Cassette 600






# Elin



MDF (RAL 9010)

H 450 | W 1800 | D 4445 mm

Choose your insert!



Bio ethanol burner S (4114LB)



Opti-myst Cassette 400






# Atri



Black aluminium  
Including Bio ethanol burner XL (8013LS)

Wall-mounted model  
H 600 | W 950 | D 166 mm



Silver aluminium  
Including Bio ethanol burner XL (8013LS)

Wall-mounted model  
H 600 | W 950 | D 166 mm



Black aluminium  
Including Bio ethanol burner XL (8013LS)

H 640 | W 950 | D 400 mm




Silver aluminium  
Including Bio ethanol burner XL (8013LS)

H 640 | W 950 | D 400 mm




# Cuneo



Concrete look  
Including Bio ethanol burner S (4114LS)

H 105 | W 530 | D 260 mm

# Milano



Concrete look  
Including Bio ethanol burner (4114S)

H 900 | W 760 | D 300 mm





# Lasize



MDF (RAL 9010) With rollers


H 1360 | W 980 | D 358 mm



Concrete look With rollers

H 1360 | W 980 | D 358 mm

## Choose your insert!



Bio ethanol burner L (5820LB)



Opti-myst Cassette 600



# Shigo



# Silo






# Disegno 3D LED



Levico 90 3D LED Fire



Disegno 3D LED



Disegno 3D LED with 3 stackable parts





# Goya



MDF (RAL 9005)  
Including Bio ethanol burner S (4114B)

H 650 | W 970 | D 190 mm



MDF (RAL 9010)  
Including Bio ethanol burner S (4114B)

H 650 | W 970 | D 190 mm



Concrete look  
Including Bio ethanol burner S (4114B)

H 650 | W 970 | D 190 mm



Broken stone  
Including Bio ethanol burner S (4114B)

H 650 | W 970 | D 190 mm





# Nova



Concrete look

H 620 | W 600 | D 300 mm




MDF (RAL 9010)  
Including Opti-myst Cassette 400

H 620 | W 600 | D 300 mm

## Choose your insert!



Bio ethanol burner S (4114LB)



Opti-myst Cassette 400





# Quero



Steel

H 750 | W 600 | D 344 mm



Corten steel

H 750 | W 600 | D 344 mm



Stainless steel

H 750 | W 600 | D 344 mm



Black glass

H 750 | W 600 | D 344 mm




Natural stone

H 750 | W 600 | D 344 mm

## Choose your insert!



Bio ethanol burner S (4114LB)



Opti-myst Cassette 400



# Trivero

## Trivero 130

H 465 mm | W 1270 mm | D 140 mm



## Trivero 180

H 465 mm | W 1830 mm | D 140 mm



## Trivero 240

H 465 mm | W 2415 mm | D 130 mm



Wall-surround Trivero comes standard with basalt split.

- Consumption 15-20 Watt
- Maintenance-free
- Functions with LED lights
- Adjustable flames
- Remote control
- Thermostat
- Heating: 0 - 700 - 1400 Watt (to be programmed)
- Timer function
- Plug: EU grounded (supplied with UK adaptor for all deliveries to UK or Ireland)





# Umbria



MDF (RAL 9010)  
Including Bio ethanol burner L (5820B)

H 650 | W 740 | D 340 mm

# Lucca




MDF (RAL 9010)  
Including Opti-myst Cassette 600

H 700 | W 740 | D 340 mm





# Woody



Resin

Including Bio ethanol burner S (4114LS)

H 125 | W 495 | D 230 mm









# Bio ethanol burner S

(4114LS) With lip



H 80 | W 409 | D 137 mm  
Top plate (lip): W 428 | D 157 mm

Burner contents: ± 1 liter  
Burning time: ± 3 hours  
Consumption per hour: ± 0,30 liter  
Heat output: ± 2 KW

(4114LB) With lip



H 80 | W 409 | D 137 mm  
Top plate (lip): W 428 | D 157 mm

Burner contents: ± 1 liter  
Burning time: ± 3 hours  
Consumption per hour: ± 0,30 liter  
Heat output: ± 2 KW

# Bio ethanol burner S

(4114S) Without lip



H 80 | W 409 | D 137 mm

Burner contents: ± 1 liter  
Burning time: ± 3 hours  
Consumption per hour: ± 0,3 liter  
Heat output: ± 2 KW

(4114B) Without lip



H 80 | W 409 | D 137 mm

Burner contents: ± 1 liter  
Burning time: ± 3 hours  
Consumption per hour: ± 0,3 liter  
Heat output: ± 2 KW




**All bio ethanol burners contain a patented Clean fire System ceramic core. This core absorbs the bio ethanol completely, which makes it impossible for the fuel to leak or spill.**



## Bio ethanol burner M

(4120B) Without lip



H 80 | W 405 | D 200 mm

Burner contents:	± 1,5 liter
Burning time:	± 3 hours
Consumption per hour:	± 0,3 liter
Heat output:	± 2,5 KW



Safety comes first with Xaralyn. The filling opening is separate from the opening of the fire and due to the built in safety system it is impossible to fill the bio ethanol burners while they are lit.

- The fire is created by gas that is formed when bio ethanol is exposed to the air. Due to the gradual release of the gas, there is a constant combustion, making this the bio ethanol burner very economical in use and the safest on the market.
- The complete bio ethanol burner is made of high quality stainless steel
- Ceramic stone absorbs the bio ethanol
- Ceramic wool in the outer case absorbs excess bio ethanol in case of overfilling

**kiwa**  
Partner for progress

**DIN**

made  
in EU

EN 16647:2015

DIN 4734-1



# Bio ethanol burner L


(5820LS) With lip



H 80 | W 575 | D 200 mm  
Top plate (lip): W 597 | D 220 mm

Burner contents: ± 2 liters  
Burning time: ± 3,5 hours  
Consumption per hour: ± 0,5 liters  
Heat output: ± 3KW

(5820LB) With lip



H 80 | W 575 | D 200 mm  
Top plate (lip): W 597 | D 220 mm

Burner contents: ± 2 liters  
Burning time: ± 3,5 hours  
Consumption per hour: ± 0,5 liters  
Heat output: ± 3KW

# Bio ethanol burner L



(5820S) Without lip



H 80 | W 575 | D 200 mm

Burner contents: ± 2 liters  
Burning time: ± 3,5 hours  
Consumption per hour: ± 0,5 liters  
Heat output: ± 3KW

(5820B) Without lip



H 80 | W 575 | D 200 mm

Burner contents: ± 2 liters  
Burning time: ± 3,5 hours  
Consumption per hour: ± 0,5 liters  
Heat output: ± 3KW



# Bio ethanol burner XL


(8014LS) With lip



H 80 | W 800 | D 137 mm  
Top plate (lip): W 820 | D 157 mm

Burner contents: ± 2,5 liter  
Burning time: ± 3,5 hours  
Consumption per hour: ± 0,55 liter  
Heat output: ± 3,5KW

(8014LB) With lip




H 80 | W 800 | D 137 mm  
Top plate (lip): W 820 | D 157 mm

Burner contents: ± 2,5 liter  
Burning time: ± 3,5 hours  
Consumption per hour: ± 0,55 liter  
Heat output: ± 3,5KW

# Bio ethanol burner XXL


(11814LS) With lip



H 80 | W 1180 | D 136 mm  
Top plate (lip): W 1200 | D 157 mm

Burner contents: ± 3,5 liter  
Burning time: ± 3,5 hours  
Consumption per hour: ± 0,65 liter  
Heat output: ± 4,4 KW

(11814LB) With lip



H 80 | W 1180 | D 136 mm  
Top plate (lip): W 1200 | D 157 mm

Burner contents: ± 3,5 liter  
Burning time: ± 3,5 hours  
Consumption per hour: ± 0,65 liter  
Heat output: ± 4,4 KW



# Bio ethanol CL100



Bio ethanol is entirely comprised of biological products, and hence the combustion of bioethanol results in cleaner emissions (carbon dioxide, steam and heat). Carbon dioxide is absorbed by plants and processed via photosynthesis to help the plant grow. This cycle of creation and energy combustion means bioethanol could potentially be a carbon neutral fuel source.

Box contains 12, 1 Liter bottles





# Built-in unit S



H 690 | W 500 | D 210 mm

Including Bio ethanol burner M (4120B)

# Built-in unit L



H 712 | W 680 | D 210 mm

Including Bio ethanol burner L (5820B)



H 744 | W 690 | D 225 mm

With stone Effect  
Including Bio ethanol burner L (5820B)



H 744 | W 690 | D 225 mm

With medallion  
Including Bio ethanol burner L (5820B)





## Built-in unit XL



H 538 | W 947 | D 217 mm

Including Bio ethanol burner XL (8014LS)  
Removable backwall

Optional with Finishing frame

## Built-in unit XXL



H 536 | W 1330 | D 217 mm

Including Bio ethanol burner XXL (11814LS)  
Removable backwall

Optional with Finishing frame




# Built-in profiles



H 3 | W 530 | D 260 mm

Available in black or brushed stainless steel

Including bio ethanol burner S (4114L)



H 3 | W 695 | D 320 mm

Available in black or brushed stainless steel


Including bio ethanol burner L (5820L)



H 3 | W 920 | D 260 mm

Available in black or brushed stainless steel

Including bio ethanol burner XL (8014L)





# Castello 70 3D LED



H 730 | W 740 | D 320 mm


Can be mounted on a wall or be used as a built-in fire

- Consumption 25 Watt
- Control with app
- Maintenance-free
- Remote control
- Thermostat
- Functions with LED lights
- Adjustable flames
- Heating: 0 – 600 – 1200 Watt (to be programmed)
- Plug: EU grounded





# Levico 90 3D LED Fire




H 405 | W 915 | D 245 mm

- Consumption 15 Watt
- Maintenance-free
- Functions with LED lights
- Adjustable flames
- Remote control
- Plug: EU grounded



Levico 90 3D LED Fire



Disegno 3D LED



Disegno 3D LED with 3 stackable parts





# Elski LED Fire



H 665 | W 470 | D 205 mm

- Consumption 10 Watt
- Maintenance-free
- Functions with LED lights
- Adjustable flames
- Remote control
- Thermostat
- Heating: 0 – 600 – 1200 Watt (to be programmed)
- Plug: EU grounded


# Lucius LED Fire



H 610 | W 620 | D 195 mm

- Consumption 10 Watt
- Maintenance-free
- Remote control
- Thermostat
- Functions with LED lights
- Adjustable flames
- Heating: 0 – 700 – 1400 Watt (to be programmed)
- Plug: EU grounded

# Trivero 70 LED Fire



H 690 | W 660 | D 197 mm

- Consumption 10 Watt
- Maintenance-free
- Including basalt split
- Functions with LED lights
- Adjustable flames
- Remote control
- Thermostat
- Heating: 0 - 400 - 800 Watt (to be programmed)
- Plug: EU grounded

## Optional for the Trivero 70 LED Fire



Make it deeper. Included with purchase of a surround.



Resin Logset



Trivero 70 Logset





# Trivero 90 LED Fire



H 560 | W 1040 | D 140 mm

- Consumption 15 Watt
- Maintenance-free
- Including basalt split
- Functions with LED lights
- Adjustable flames
- Remote control
- Plug: EU grounded





## Basket Opti-myst Cassette 400



H 330 | W 405 | D 216 mm

- Consumption 200 Watt
- Adjustable flame image
- Remote control
- Plug: EU grounded

## Basket Opti-myst Cassette 600



H 340 | W 564 | D 218 mm

- Consumption 200 Watt
- Adjustable flame image
- Remote control
- Plug: EU grounded

## Built-in unit Opti-Myst 600



H 710 | W 680 | D 280 mm

- Consumption 200 Watt
- Adjustable flame image
- Remote control
- Plug: EU grounded

## Opti-myst Albany




H 705 | W 645 | D 302 mm

- Consumption 230 Watt
- Adjustable flame image
- Remote control
- Heating: 0 - 750 - 1500 Watt (to be programmed)
- Plug: EU grounded

Only available in combination with a surround.



Logset 6 pieces




Logset 10 pieces




White pebbles 5kg



Basalt split 4kg




Luxury logset




Logset Resin



Crackling sound effect box



Electric lighter





C L E A N   F I R E   S Y S T E M  
**XARALYN**®

A Vreekesweid 30  
1721 PR Broek op Langedijk  
The Netherlands

E [info@xaralyn.com](mailto:info@xaralyn.com)  
W [www.xaralyn.com](http://www.xaralyn.com)



V. 040619 - All rights reserved